



# PANDA<sup>®</sup> MECHANICAL ROD EXTRACTOR

**SOL SOLUTION**  
*Solidly-based innovation*

**ENGINEERING**

**SOIL TESTING  
AND GEOTECHNICAL  
EQUIPMENT**

**RESEARCH AND  
DEVELOPMENT**

**TECHNICAL  
TRAINING**

**SOL SOLUTION**

ZA des Portes de Riom Nord  
23 avenue Georges Gershwin  
BP 178 - 63204 RIOM Cedex - FRANCE

**T** : +33 (0)4 73 64 74 84

**F** : +33 (0)4 73 64 74 80

**M** : [contact@sol-solution.com](mailto:contact@sol-solution.com)

**WWW.SOL-SOLUTION.COM**

# PANDA<sup>®</sup> MECHANICAL ROD EXTRACTOR

## Objective

**EXTRACT THE PANDA<sup>®</sup> RODS DRIVEN INTO  
THE GROUND MANUALLY OR WITH AN  
AUTOMATIC HAMMER**



## Characteristics

Dimensions in cm : L 119 x W 19 x H 27

Total weight : 7.5 kg

Tripod with ball jaw

Removable 1 m elbow lever arm



## Advantages

- Design and development Sol Solution
- Simple and efficient rod extraction system
- Lightweight, practical, and easily transportable package
- The angled lever arm multiplies the extraction
- Lever arm and tripod separate for easy storage and transport
- The balls are interchangeable in case of wear

